

YAXT - Issues

| # | Tracker | Status | Priority | Subject | Assignee | Updated |
|-----|---------|--------|----------|--|---------------|---------------------|
| 337 | Feature | New | Normal | check possibility of usage of mpi_type_create_hvector in xt_redist_collection_static_new | | 04/27/2015 02:34 PM |
| 321 | Feature | New | Normal | runtime switch for the generation of MPI datatypes | Joerg Behrens | 06/27/2013 03:32 PM |
| 310 | Feature | New | Normal | new xmap constructor: xt_xmap_dist_dir_dim_new | | 11/26/2012 04:15 PM |
| 307 | Feature | New | Normal | idxsection_get_index_stripes_const | | 10/25/2012 05:13 PM |
| 306 | Feature | New | Normal | garbage collector | | 10/25/2012 05:11 PM |
| 305 | Feature | New | Normal | fundamental vector type | | 08/04/2014 11:37 AM |
| 304 | Feature | New | Normal | basic warning/error management | | 10/15/2012 02:07 PM |
| 301 | Feature | New | Low | support for elemental post-processing | | 03/27/2012 11:25 AM |
| 334 | Feature | Closed | Normal | better bug message if xmap constructor fails | Moritz Hanke | 11/25/2014 10:09 AM |
| 332 | Task | Closed | Normal | allow empty messages in exchange routines | | 08/08/2014 04:30 PM |
| 316 | Task | Closed | Normal | check if base redist class makes sense | | 04/17/2013 01:45 PM |
| 315 | Feature | Closed | Normal | new constructor xt_redist_repeat | | 04/10/2013 04:58 PM |
| 313 | Bug | Closed | Normal | bug: xmap construction allows multiple writes to the same destination memory location | | 03/18/2013 11:06 AM |
| 311 | Feature | Closed | Normal | stripify xt_xmap_dist_dir_new | Thomas Jahns | 02/24/2022 12:19 PM |
| 309 | Feature | Closed | Normal | new idxlist method: xt_idxlist_get_bounding_box | Moritz Hanke | 12/04/2012 02:13 PM |
| 303 | Feature | Closed | Normal | improve make check under AIX | | 10/25/2012 05:16 PM |