

## YAXT - Issues

| #   | Tracker       | Status   | Priority | Subject  | Assignee      | Updated             |
|-----|---------------|----------|----------|--|---------------|---------------------|
| 341 | Feature       | New      | Normal   | Call MPI_Testany from time to time to improve performance                                |               | 08/25/2017 04:23 PM |
| 338 | Feature       | New      | Normal   | User-creatable index lists   |               | 02/05/2016 05:23 PM |
| 337 | Feature       | New      | Normal   | check possibility of usage of mpi_type_create_hvector in xt_redist_collection_static_new |               | 04/27/2015 02:34 PM |
| 335 | Bug           | New      | Normal   | passing pointers of zero-size arrays to redists  |               | 04/23/2015 11:45 AM |
| 331 | Bug           | New      | Normal   | Make xt_xmap_distdir work when less data than expected gets packed                       |               | 08/04/2014 11:31 AM |
| 321 | Feature       | New      | Normal   | runtime switch for the generation of MPI datatypes                                       | Joerg Behrens | 06/27/2013 03:32 PM |
| 320 | Documentation | New      | Normal   | Find method to document Fortran interface  |               | 06/04/2013 01:26 PM |
| 317 | Feature       | New      | Normal   | support for in-place redistributions   |               | 03/11/2013 04:25 PM |
| 310 | Feature       | New      | Normal   | new xmap constructor: xt_xmap_dist_dir_dim_new   |               | 11/26/2012 04:15 PM |
| 307 | Feature       | New      | Normal   | idxsection_get_index_stripes_const   |               | 10/25/2012 05:13 PM |
| 306 | Feature       | New      | Normal   | garbage collector  |               | 10/25/2012 05:11 PM |
| 305 | Feature       | New      | Normal   | fundamental vector type  |               | 08/04/2014 11:37 AM |
| 304 | Feature       | New      | Normal   | basic warning/error management   |               | 10/15/2012 02:07 PM |
| 333 | Feature       | Resolved | Normal   | Caching of communicators   | Thomas Jahns  | 11/28/2016 11:27 AM |
| 334 | Feature       | Closed   | Normal   | better bug message if xmap constructor fails   | Moritz Hanke  | 11/25/2014 10:09 AM |
| 332 | Task          | Closed   | Normal   | allow empty messages in exchange routines  |               | 08/08/2014 04:30 PM |
| 318 | Bug           | Closed   | Normal   | Eliminate multi-source indices   | Moritz Hanke  | 03/18/2013 11:05 AM |
| 316 | Task          | Closed   | Normal   | check if base redist class makes sense   |               | 04/17/2013 01:45 PM |
| 315 | Feature       | Closed   | Normal   | new constructor xt_redist_repeat   |               | 04/10/2013 04:58 PM |
| 313 | Bug           | Closed   | Normal   | bug: xmap construction allows multiple writes to the same destination memory location    |               | 03/18/2013 11:06 AM |
| 311 | Feature       | Closed   | Normal   | stripify xt_xmap_dist_dir_new  | Thomas Jahns  | 02/24/2022 12:19 PM |
| 309 | Feature       | Closed   | Normal   | new idxlist method: xt_idxlist_get_bounding_box  | Moritz Hanke  | 12/04/2012 02:13 PM |
| 308 | Feature       | Closed   | Normal   | C Header installation  |               | 11/14/2012 05:01 PM |
| 303 | Feature       | Closed   | Normal   | improve make check under AIX   |               | 10/25/2012 05:16 PM |
| 302 | Bug           | Closed   | Normal   | Naming   | Thomas Jahns  | 10/26/2012 06:10 PM |